THE IMPACT OF BODY MASS INDEX ON PATIENT REPORTED OUTCOME MEASURES (PROMs) AND COMPLICATIONS FOLLOWING PRIMARY HIP REPLACEMENT

Abstract

The influence of BMI upon patient-reported outcomes (OHS/EQ-5D index) and complications following THR was examined for a cohort of patients using linked national data. Outcomes were compared across BMI groups (19.0kg/m^2-29.9kg/m^2 [Reference], 30.0kg/m^2-34.9kg/m^2 [Obese class I], 35.0kg/m^2+ [Obese class II/III]), adjusted for case-mix differences. Obese class I patients had a significantly smaller improvement in OHS (18.9 versus 20.5, p<0.001) and a greater risk of wound complications (odds ratio [OR]=1.57, p=0.006). For obese class II/III patients, there were significantly smaller improvements in OHS (p<0.001) and EQ-5D index (p<0.001), and a greater risk of wound complications (p=0.006), readmission (p=0.001) and reoperation (p=0.003). Large improvements in OHS and EQ-5D index were seen irrespective of BMI, although improvements were marginally smaller and complication rates higher in obese patients.

Introduction

Body mass index (BMI) and rates of obesity within the population are increasing across the developed world (1), resulting in poorer general health and greater risk of lower limb osteoarthritis (OA) (2, 3). The National Joint Registry (NJR) in England and Wales has noted a year-on-year increase in total hip replacements (THRs) performed overall and in obese patients, with 38% having a BMI over 30kg/m^2 in 2011 compared with less than 30% in 2003 (4).

There is some evidence that lower limb arthroplasty in obese patients is more technically demanding (due to instrumentation issues), takes longer to perform (5), is associated with higher surgical and medical complications in the early post-operative period (6, 7), and outcomes such as function and implant longevity may be poorer (8-10). Thus, raised BMI might be used to ration primary THR in a public funded health service, in effect denying patients access to surgical intervention (11). Restrictions might apply to BMIs >35kg/m^2, although lower cut-off limits have been proposed (12). However, the evidence for denying access to a hip surgeon for patients with a high BMI is limited, and may be inappropriate (13, 14).

Patient reported outcome measures (PROMs) offer patient-centred evidence of the benefit of a procedure, and supplement clinical measures traditionally used to assess the success of joint replacement such as risk of revision (15). PROMs have been routinely collected by the Department of Health (DoH) for National Health Service (NHS) patients undergoing THR in England and Wales since 2008. PROMs include a joint specific score, a general health measure and self-reported complication data. These can now be linked to the NJR dataset in order to compare early outcomes for specific patient and implant groups at a national level.

This analysis explores the impact of BMI on PROMs and complications following primary THR.

Methods

Design

A retrospective cohort study was conducted using prospectively collected patient-level NJR and PROMs-linked data to compare general and joint specific outcome scores and self-reported complications at a minimum 6 months following primary THR in patients with varying BMI.

Data

Data on hip replacement patients, their surgeons and implants used are collected by the NJR across England and Wales. The national PROMs study collects joint-specific and general health scores pre- and six months post-operatively. Self-reported post-operative complications are also available. By linking the two datasets at the level of the patient we were able to combine PROMs with the corresponding demographic and operative details held in the NJR. In order to link the two datasets a number of linkage criteria were used. Firstly, to ensure correct matching, two unique identifiers (NJR and procedure numbers) recorded in both datasets were used. Secondly, the operation date recorded by the patient in the PROMs data had to be within +/-30 days of the operation date recorded on the NJR record, to ensure the patient was scoring the same procedure.

We chose to perform the analysis using the single most commonly used brand of cemented and cementless THR, in order to control for any implant influences while providing widely applicable results for THRs performed in England and Wales. According to the NJR 8th Annual Report, the commonest cemented THR brand used since 2003 is the Exeter V40 hip and Contemporary socket (Stryker Orthopaedics, Mahwah, New Jersey, United States), accounting for 23.2% of all cemented THRs (37,995 of 163,981) (16). The Corail

stem/Pinnacle cup (DePuy Ltd, Leeds, United Kingdom) is the most commonly used cementless THR (31.2% [40,879] of 130,920 cementless THRs).

There were a number of exclusion criteria. For the NJR data these were: all procedures with an indication other than OA, procedures with missing implant or patient data, and procedures with missing or outlying BMI (<19kg/m^2 or >65kg/m^2) data were excluded. Procedures with PROMs data that were missing, undated, dated more than 12 months prior to or following the operation, or non-identical duplicates were excluded; for identical duplicates the first record was retained for analysis. Where the presence of a co-morbidity or complication was sought in the questionnaire but left blank by the patient, it was assumed to be absent. The study population is summarised in Figure 1. The demographic, surgical and implant-related variables available for analysis are listed in Table 1.

The national PROMs project uses validated measures of hip-specific (Oxford hip score [OHS]) (17) and general health outcomes (EuroQol [EQ-5D-3L]) (18). For this analysis the outcomes of interest were improvements between the pre- and post-operative scores (the 'change scores') and self-reported post-operative complications (bleeding, wound problems, readmission and reoperation). Change scores, being approximately normally distributed, are analytically preferable to post-operative scores (19). The OHS (scored 0 lowest to 48 highest) has previously been shown to be a reliable, valid and responsive outcome measure and can be used for the clinical assessment of large hip arthroplasty databases in a cross-sectional population (20). The EQ-5D-3L consists of 2 parts - the EQ-5D descriptive system and the EQ visual analogue scale (EQ VAS). The EQ-5D descriptive system evaluates five different aspects of general health (mobility, self-care, usual activities, pain/ discomfort and anxiety/depression). Each dimension has 3 levels: no problems, some problems, extreme

problems. The respondent indicates his/her health state by ticking (or placing a cross) in the box against the most appropriate statement in each of the 5 dimensions. These scores are then combined using population weightings to produce a single index value (-0.59 to 1.00) for health status (18). The EQ VAS records the respondent's self-rated health on a visual analogue scale where the endpoints are 'best imaginable health state' and 'worst imaginable health state'. This information can be used as a quantitative measure of health outcome; variations over time can be used for clinical and economic appraisal. The EQ-5D-3L is commonly used throughout Europe for assessment in a variety of different clinical settings, including joint replacement, and was chosen by the Department of Health in the United Kingdom as the most suitable generic health measure for the PROMs project because reliable UK population weighting values were available (21) (For more information on EuroQol assessment visit http://www.euroqol.org). Patients are also asked about comorbidities, general health and self-reported disability as part of the pre-operative PROMs questionnaire. These can be used to understand and match the differences in health status between patient groups. Sample sizes for all the BMI groups were in excess of the minimum numbers identified in the PROMs feasibility pilot to identify meaningful differences (more than 150/group) (19).

Statistical analysis

The variables available for the analyses are shown in Appendix Table 1. To align with its clinical application, BMI was grouped into three categories: 19.0kg/m^2-29.9kg/m^2 (normal and overweight - reference group), 30.0kg/m^2-34.9kg/m^2 (Obese class I), 35.0kg/m^2+ (Obese class II and III). BMI was also assessed as a continuous variable to ensure BMI categorisation did not qualitatively alter the findings. Differences in baseline characteristics across the BMI groups were analysed using analysis of variance test (ANOVA, continuous data variables) or

Chi-square test (categorical data variables). Analyses of cemented and cementless procedures were performed independently as no attempt was made to adjust for baseline differences between types of implants.

Univariable analysis was performed initially to identify variables potentially influencing each outcome, based on statistical rejection criteria of $p>0.10$; these variables were then included in the multi-variable models. Analysis of covariance (ANCOVA) was used for testing differences in OHS and EQ5D index change scores across BMI groups. Multi-variable logistic regression was used to analyse differences in the risk of each of the complications across BMI groups. Time from implantation to questionnaire completion was included in models to evaluate whether differences in duration of follow-up influenced findings. Pre-operative scores were included within all models, as recommended by the Oxford group (20).

Reflecting analysis of a large dataset, statistical models for the change scores were evaluated with the margins function in STATA in order to provide predicted values (including 99% confidence intervals) for each of the BMI categories. P-values are provided as statistical tests of the differences between the reference and other BMI categories. For complication risks, results are presented as odds ratios (ORs) with 99% CIs: ratios greater than one indicate that risk is higher when compared with the reference BMI category. Due to the statistical methods employed, and the large population size, only covariates fitting models with $p<0.01$ were considered significant influences, to reduce the risk of Type 1 error. All models were fitted using STATA 12 (StataCorp LP, Texas, USA).

In order to provide 'real-world' clinical scenarios, predicted changes in OHS were produced for the cemented model using the margins function in STATA. This demonstrated the

differences in hip specific improvement when sex, differences in pre-existing health status and disability, and level of pre-operative OHS were specified within the model, in addition to BMI.

Results

There were 8547 NJR-PROMs linked primary procedures, of which 65% had BMI data. Of the remaining 5535, 2656 were cemented Exeter Contemporary and 2879 were cementless Corail Pinnacle.

Cemented hip replacement baseline characteristics

There were 1640 patients (61.7%) with a BMI of 19 to 29.9kg/m^2, 695 (26.2%) 30 to 34.9kg/m^2 and 321 (12.1%) 35kg/m^2 and over (Table 1). Obese patients were more likely to be younger ($p<0.001$), female ($p=0.002$) and have a higher ASA grade ($p<0.001$). Similarly, diabetes ($p<0.001$) and hypertension ($p<0.001$) were more prevalent in patients with higher BMI, but proportions of other comorbidities were not significantly different. Pre-operative general health ($p<0.001$) was poorer and self-reported disability ($p<0.001$) more common in obese patients.

Pre-operative scores were significantly lower in obese patients (OHS: $p<0.001$, EuroQol VAS: $p<0.001$, EQ5D index: $p<0.001$); time from operation to post-operative questionnaire completion was similar across groups (209.0 to 209.6 days, $p=0.636$) (Table 1).

Cementless hip replacement baseline characteristics

There were 1738 patients (60.4%) with a BMI of 19 to 29.9kg/m^2, 713 (24.8%) 30 to 34.9kg/m^2 and 428 (14.9%) 35kg/m^2 and over (Table 2). Similarly to the cemented group, obese patients were more likely to be younger ($p<0.001$) and have a higher ASA grade ($p<0.001$), but there were no differences in proportions of females. Diabetes ($p<0.001$), hypertension ($p<0.001$) and depression ($p=0.006$) were more prevalent in patients with higher BMI, but proportions of other comorbidities were not significantly different. Pre-operative

general health (p<0.001) was poorer and self-reported disability (p<0.001) more common in obese patients.

Pre-operative scores were significantly lower in obese patients (OHS: p<0.001, EuroQol VAS: p<0.001, EQ5D index: p<0.001); time from operation to post-operative questionnaire completion was similar across groups (207.6 to 210.0 days, p=0.985) (Table 2).

Surgical factors

The majority of operations were performed through the posterior approach (cemented: 55.4% [1471]; cementless: 63.6% [1830]), with the patient in a lateral position (79.1% [2102]; 78.4% [2256]), by a consultant (64.0% [1700]; 77.0% [2216]), and using regional anaesthesia (78.8% [1792]; 80.4% [1923]). Low molecular weight Heparin (53.6% [1218]; 66.2% [1593]) and mechanical methods (80.3% [2133]; 89.9% [2636]) were used as venous thromboembolic prophylaxis in the majority of cases (Table 3).

Oxford Hip Score improvement

For the cemented procedure, univariable analysis showed no differences in OHS improvement across the BMI groups. However, after adjusting for other influential variables, when compared with the reference BMI group (20.5, 99% CI 20.0 to 21.1), both obese class I (18.9, 99% CI 18.1 to 19.8, p<0.001) and class II/III patients (18.7, 99% CI 17.5 to 19.9, p<0.001) had a significantly lower improvement in OHS (Table 4).

For cementless procedure, there was no difference in OHS improvement between BMI groups in univariable analysis. After risk adjusting, when compared with the reference BMI

group (21.5, 99% CI 21.1 to 22.1), obese class II/III patients (20.0, 99% CI 18.9 to 21.0, p<0.001) had a significantly lower improvement in OHS (Table 5).

In the 'real-world' scenarios, when a male patient with a BMI between 19 and 29.9kg/m^2 reporting a pre-operative OHS of 10, no disability, very good preoperative health and minimal comorbidities undergoes a cemented THR, they should expect an improvement in OHS of 32. A female patient with a BMI of 35kg/m^2+, self-reported fair health, presence of disability and co-morbidities and a pre-operative OHS of 25, an improvement in OHS of only 9 was predicted. Self reported disability, pre-operative function and health scores, and comorbidities were greater influences on OHS change than BMI. A lower pre-operative OHS predicts a greater improvement, whilst presence of a disability and comorbidities, poorer health and higher BMI predicts lower improvements in OHS (Table 6).

EQ5D index improvement

For the cemented procedure, there were no differences in EQ5D index improvement between BMI groups in univariable analysis. After risk adjusting, both obese class I (0.394, 99% CI 0.372 to 0.416, p=0.036) and class II/III patients (0.387, 99% CI 0.353 to 0.420, p=0.043) had lower improvement in EQ5D index when compared with the reference BMI group (0.416, 99% CI 0.401 to 0.431), but neither was significant at the threshold value (Table 4).

For the cementless procedure and univariable analysis, the EQ5D index improvement was actually higher in obese class II/III patients (0.453, 99% CI 0.410 to 0.497, p=0.016) when compared with the reference group (0.408, 99% CI 0.386 to 0.429), but this failed to reach the significance threshold specified. However, after risk adjustment obese class II/III patients

(0.371, 99% CI 0.341 to 0.401, p<0.001) had a significantly lower improvement in EQ5D index compared with the reference BMI group (0.425, 99% CI 0.410 to 0.441) (Table 5).

Risk of complications

In the cemented group there was a significantly increased risk of complications in obese class II/III patients compared to the reference group, adjusted for other variables: wound complications, OR=2.06, 99% CI 1.25 to 3.40, p<0.001; readmission, OR=1.99, 99% CI 1.17 to 3.39, p=0.001; and, reoperation, (OR=2.73, 99% CI 1.14 to 6.53, p=0.003). Complications were less pronounced in obese class I patients with only wound complications being significant at the 1% level (p<0.01), OR=1.57, 99% CI 1.03 to 2.38, p=0.006. Bleeding risk was similar across all groups (Table 7).

For the cementless group, wound complications were significantly higher in obese class II/III patients (OR=2.39, 99% CI 1.52 to 3.75, p<0.001) when compared to the reference group, after risk adjusting. Complication risk between the reference and other BMI groups for bleeding, readmission and reoperation were similar (Table 8).

Discussion

This retrospective cohort study using NJR-PROMs linked data provides evidence of large improvements in OHS and EQ5D index at 6 months following surgery irrespective of BMI, although improvements were marginally smaller and complication rates higher in obese patients, after adjusting for other influences. Our key finding was that joint specific and general health gains were lower and the complication risks higher as BMI increased from obesity class I to II/III. These findings were similar for both cemented and cementless implants. We also found that a number of other variables influence outcome scores in addition to BMI including self reported disability, pre-operative function and health scores, and comorbidities. This finding is clinically important as it can be used to describe the potential benefit in function, together with the risks of complications, to individual patients. It also provides evidence that BMI in isolation should not be the sole determinant of restrictions in referral to orthopaedic services.

Whilst this is the largest study to date to report the affect of BMI on functional outcome within single THR brands, there are some potential limitations for the findings. The study design is observational and thus vulnerable to omitted variables, which may have confounded our findings. Some data were unavailable for analysis; for example, radiological data on cup positioning (which may be more difficult in patients with higher BMI). Moreover, there were large numbers of procedures that could not be analysed, either because of dataset linkage issues, missing NJR or PROMs data fields or absent BMI data (35% of the linked NJR-PROMs data). Despite these limitations, the data available for analysis were extensive and adjustments for differences in the baseline characteristics of BMI groups (where available) were performed. In addition, similarities between the unadjusted and adjusted models, and robustness under different model fitting assumptions support the stability of estimates.

It could be argued that all THR brands should be examined to increase numbers for analysis and broaden the scope of findings of the study. By restricting the implants to only the most commonly used from each group we were able to remove difficulties adjusting for the performance of different brands, which may be used in far smaller numbers and propensity in different sub-groups of patients. The two implants analysed represent 29% (100,803) of all cemented and cementless implants (344,185) used in England and Wales since 2003. The remaining 71% are made up of 140 femoral stem brands and 117 acetabular components (4). Despite the exclusion of other brands, the study cohort provided adequate numbers of procedures for analysis according to recommendations for sample size arising from the PROMs feasibility study (19) and by the Oxford score design group (20). Additionally, our sensitivity analyses, based on commonly used component sets in each type of hip, provided similar results, suggesting our findings may generalize across different bearings, head sizes and fixation methods.

Pre-operative health scores were included in our multi-variable analyses; it might be argued that these should not be included since patients with higher BMI are likely to have poorer function, potentially creating a flaw in the study findings, as multi-variable testing adjusts for the effect of pre-operative function. However, demographic data supports this; whilst different BMI groups were not exactly matched in terms of pre-operative scores, the differences were clinically small. Moreover, by providing predicted OHS improvements for different clinical situations, this study has confirmed that BMI is only one of several important variables influencing outcome, and its (independent) influence on change score is small. Interestingly, the differences in OHS improvement across groups is less than the threshold of 3 points suggested by the OHS designers to demonstrate a clinical important difference (20).

Previous work has demonstrated that risk of revision is significantly (1.5 times) higher in patients with a BMI >30kg/m^2 following cementless hip replacement with a Corail/Pinnacle (10), although BMI was not found to influence implant survival in analyses of the cemented Exeter Contemporary (22). This could be a result of greater subsidence risk with cementless implants in patients with a higher BMI, or may be an erroneous finding, as previously published work has proposed that weight rather than BMI directly influences implant survival (23).

Other studies of suggest that arthroplasty patients with a high BMI may have more complications (7), including a greater risk of infection (24) and dislocation (9, 25), slower recovery (26), and poorer function (9) after THR. However, several studies have found consistently good improvement irrespective of BMI with comparable satisfaction and implant survival (27-29). A study of 3290 THR patients found that morbidly obese (BMI>40kg/m^2) patients had a similar change in outcome scores postoperatively to those with lower BMIs. Although final outcome scores were found to be lower (as in this current study) and complications higher, the authors concluded that morbidly obese patients may have as much to gain from THR as patients with a lower BMI (13). This view was supported by an analysis of 1421 THRs by Andrew et al, in which no difference in OHS was found at 5 years between BMI groups (14). In addition, they found little difference in change of OHS between 3 months and 5 years following replacement, suggesting that the results at 6 to 12 months post-operatively in our current study are a reliable indication of longer-term outcome. Interestingly, a similar study on TKR patients (without separate brand analysis) found no difference in change scores across different BMIs in 13,673 procedures (30).

In summary, patients experience a good improvement in outcome following THR irrespective of BMI. However, improvements were slightly smaller and complication rates higher in obese patients, after adjusting for other influences. A number of other patient variables also influence outcome scores in addition to BMI. In terms of improvement in health and function, a high BMI in isolation should not be a justifiable reason for denying surgery within a public funded health service. This sub-group of patients should be counselled that improvement following hip replacement is likely to be less than that for an equivalent normal weight individual. Strategies to lower BMI, such as pre-operative weight loss programmes (including bariatric intervention (31)), should be considered.

Word count: 3257

References

1. Finucane MM, Stevens GA, Cowan MJ, Danaei G, Lin JK, Paciorek CJ, et al. National, regional, and global trends in body-mass index since 1980: systematic analysis of health examination surveys and epidemiological studies with 960 country-years and 9.1 million participants. Lancet. 2011 Feb 12;377(9765):557-67.
2. Jia H, Lubetkin EI. The impact of obesity on health-related quality-of-life in the general adult US population. J Public Health (Oxf). 2005 Jun;27(2):156-64.
3. Lohmander LS, Gerhardsson de Verdier M, Rollof J, Nilsson PM, Engstrom G. Incidence of severe knee and hip osteoarthritis in relation to different measures of body mass: a population-based prospective cohort study. Ann Rheum Dis. 2009 Apr;68(4):490-6.
4. No-authors-listed. National Joint Registry for England and Wales 9th Annual Report. 2012; Available from: http://www.njrcentre.org.uk/njrcentre/Portals/0/Documents/England/Reports/9th_annual_report/NJR%209th%20Annual%20Report%202012.pdf.
5. Vasarhelyi EM, MacDonald SJ. The influence of obesity on total joint arthroplasty. J Bone Joint Surg Br. 2012 Nov;94(11 Suppl A):100-2.
6. Namba RS, Paxton L, Fithian DC, Stone ML. Obesity and perioperative morbidity in total hip and total knee arthroplasty patients. J Arthroplasty. 2005 Oct;20(7 Suppl 3):46-50.
7. Jain NB, Guller U, Pietrobon R, Bond TK, Higgins LD. Comorbidities increase complication rates in patients having arthroplasty. Clin Orthop Relat Res. 2005 Jun(435):232-8.
8. Busato A, Roder C, Herren S, Eggli S. Influence of high BMI on functional outcome after total hip arthroplasty. Obes Surg. 2008 May;18(5):595-600.
9. Davis AM, Wood AM, Keenan AC, Brenkel IJ, Ballantyne JA. Does body mass index affect clinical outcome post-operatively and at five years after primary unilateral total hip replacement performed for osteoarthritis? A multivariate analysis of prospective data. J Bone Joint Surg Br. 2011 Sep;93(9):1178-82.
10. Jameson SS BP, Mason JM, Rymaszewska M, Gregg PJ, Deehan DJ, Reed MR. Independent predictors of failure up to 7.5 years after 35 386 single-brand cementless total hip replacements. Bone and Joint Jounal. 2013;In press.
11. Lacobucci G. CCGs ration care for obese and smokers with new wave of restrictions 2012; Available from: http://www.pulsetoday.co.uk/ccgs-ration-care-for-obese-and-smokers-with-new-wave-of-restrictions/13569559.article#.UP3dUKWSJpI.
12. Ewan M. guidance 32 - hip referral and surgery thresholds updated 2009 [cited 2012 01/12/2012]; Available from: http://67.18.16.98/~hertford/images/stories/ResourceCentre/BHPrioritiesForum/Guidance32HipReferralandSurgeryThresholdsUpdatedNov09.pdf.
13. McCalden RW, Charron KD, MacDonald SJ, Bourne RB, Naudie DD. Does morbid obesity affect the outcome of total hip replacement?: an analysis of 3290 THRs. J Bone Joint Surg Br. 2011 Mar;93(3):321-5.
14. Andrew JG, Palan J, Kurup HV, Gibson P, Murray DW, Beard DJ. Obesity in total hip replacement. J Bone Joint Surg Br. 2008 Apr;90(4):424-9.
15. Devlin NJ, Parkin D, Browne J. Patient-reported outcome measures in the NHS: new methods for analysing and reporting EQ-5D data. Health Econ. 2010 Aug;19(8):886-905.
16. No-authors-listed. National Joint Registry for England and Wales 8th Annual Report. 2011 [25/03/2012]; Available from: http://www.njrcentre.org.uk/NjrCentre/LinkClick.aspx?fileticket=1TQ%2bEiNejm0%3d&tabid=86&mid=523.

17. Dawson J, Fitzpatrick R, Carr A, Murray D. Questionnaire on the perceptions of patients about total hip replacement. J Bone Joint Surg Br. 1996 Mar;78(2):185-90.
18. No-authors-listed. EuroQol (EQ5D Score). 2009 [29/08/2012]; Available from: http://www.euroqol.org/.
19. Browne J JL, Lewsey J, et al. . Patient reported outcome measures (PROMs) in elective surgery: report to the Department of Health, 2007. 2007 [29/08/2012]; Available from: http:// www.lshtm.ac.uk/php/hsrp/research/proms_report_12_dec_07.pdf.
20. Murray DW, Fitzpatrick R, Rogers K, Pandit H, Beard DJ, Carr AJ, et al. The use of the Oxford hip and knee scores. J Bone Joint Surg Br. 2007 Aug;89(8):1010-4.
21. Smith SC, Cano S, Lamping DL, Staniszewska S, Browne J, Lewsey J, et al. Patient-Reported Outcome Measures (PROMs) for routine use in Treatment Centres: recommendations based on a review of the scientific evidence: Health Services Research Unit, London School of Hygiene & Tropical Medicine, London, UK2005.
22. Jameson SS, Baker PN, Mason J, Gregg PJ, Brewster N, Deehan DJ, et al. The design of the acetabular component and size of the femoral head influence the risk of revision following 34 721 single-brand cemented hip replacements: A retrospective cohort study of medium-term data from a National Joint Registry. J Bone Joint Surg Br. 2012 Dec;94(12):1611-7.
23. Traina F, Bordini B, De Fine M, Toni A. Patient weight more than body mass index influences total hip arthroplasty long term survival. Hip Int. 2011 Nov-Dec;21(6):694-9.
24. Namba RS, Inacio MC, Paxton EW. Risk factors associated with surgical site infection in 30,491 primary total hip replacements. J Bone Joint Surg Br. 2012 Oct;94(10):1330-8.
25. Chee YH, Teoh KH, Sabnis BM, Ballantyne JA, Brenkel IJ. Total hip replacement in morbidly obese patients with osteoarthritis: results of a prospectively matched study. J Bone Joint Surg Br. 2010 Aug;92(8):1066-71.
26. Jones CA, Cox V, Jhangri GS, Suarez-Almazor ME. Delineating the impact of obesity and its relationship on recovery after total joint arthroplasties. Osteoarthritis Cartilage. 2012 Jun;20(6):511-8.
27. Collins RA, Walmsley PJ, Amin AK, Brenkel IJ, Clayton RA. Does obesity influence clinical outcome at nine years following total knee replacement? J Bone Joint Surg Br. 2012 Oct;94(10):1351-5.
28. Yeung E, Jackson M, Sexton S, Walter W, Zicat B. The effect of obesity on the outcome of hip and knee arthroplasty. Int Orthop. 2011 Jun;35(6):929-34.
29. McLaughlin JR, Lee KR. The outcome of total hip replacement in obese and non-obese patients at 10- to 18-years. J Bone Joint Surg Br. 2006 Oct;88(10):1286-92.
30. Baker P, Petheram T, Jameson S, Reed M, Gregg P, Deehan D. The association between body mass index and the outcomes of total knee arthroplasty. J Bone Joint Surg Am. 2012 Aug 15;94(16):1501-8.
31. Kulkarni A, Jameson SS, James P, Woodcock S, Muller S, Reed MR. Does bariatric surgery prior to lower limb joint replacement reduce complications? Surgeon. 2011 Feb;9(1):18-21.

Figure 1. Flowchart describing study cohort



*Invalid PROMs data includes records with missing outcome score records, pre-operative scores dated more than 12 months prior to the operation, post-operative records without a date or dated <6 months or >12 months following the primary hip replacement, non-identical duplicates (all excluded) and identical duplicates (only one record retained)

418

419
420

Table 1. Patient demographics and PROMs data for cemented Stryker Exeter V40 Contemporary hip replacement, by body mass index

	All patients	Body mass index			*Differences between BMI groups**
		19 to 29.9kg/m^2 (Reference group)	*30 to 34.9kg/m^2 (Obese class I)*	*35kg/m^2 + (Obese class II/III)*	
Number (%)	2656	1640 (61.7)	695 (26.2)	321 (12.1)	
Patient factors					
Age, mean years (standard deviation [sd], range)	73.3 (7.7, 36.7 to 93.7)	74.3 (7.6, 36.7 to 93.7)	72.3 (7.4, 45.1 to 92.9)	70.7 (7.4, 46.4 to 92.1)	p<0.001
Females	1687 (63.5)	1025 (62.5)	430 (61.9)	232 (72.3)	p=0.002
ASA					
1	274 (10.3)	195 (11.9)	67 (9.6)	12 (3.7)	p<0.001
2	1912 (72.0)	1186 (72.3)	500 (71.9)	226 (70.4)	
3+	470 (17.7)	259 (15.8)	128 (18.4)	83 (25.9)	
Co-morbidities					
Heart disease	268 (10.1)	149 (9.1)	83 (11.9)	36 (11.2)	p=0.086
Stroke	32 (1.2)	16 (1.0)	12 (1.7)	4 (1.3)	p=0.314
Diabetes	270 (10.2)	120 (7.3)	102 (14.7)	48 (15.0)	p<0.001
Hypertension	1219 (45.9)	682 (41.6)	360 (51.8)	177 (55.1)	p<0.001
Circulation	220 (8.3)	117 (7.1)	68 (9.8)	35 (10.9)	p=0.020
Lung	187 (7.0)	119 (7.3)	40 (5.8)	28 (8.7)	p=0.196
Depression	132 (5.0)	71 (4.3)	41 (5.9)	20 (6.2)	p=0.151
Preoperative general health					
Excellent	94 (3.6)	65 (4.0)	23 (3.4)	6 (1.9)	p<0.001
Very good	767 (29.4)	517 (32.1)	184 (26.9)	66 (20.9)	
Good	1207 (46.3)	727 (45.2)	328 (47.9)	152 (48.1)	
Fair	470 (18.0)	259 (16.1)	126 (18.4)	85 (26.9)	
Poor	72 (2.8)	41 (2.6)	24 (3.5)	7 (2.2)	
Preoperative disability	1548 (58.3)	901 (58.9)	425 (66.4)	222 (75.3)	p<0.001
Patient reported outcome scores					
Oxford Hip scores					
Pre-operative, mean (sd, range)	18.2 (8.1, 0 to 48)	19.2 (8.1, 0 to 44)	17.4 (7.9, 0 to 48)	15.3 (7.4, 1 to 40)	p<0.001
Post-operative, mean (sd, range)	38.3 (8.9, 2 to 48)	39.4 (8.3, 6 to 48)	36.8 (9.4, 2 to 48)	35.7 (9.6, 4 to 48)	p<0.001
EQ5D visual analogue score					
Pre-operative, mean (sd, range)	67.1 (19.8, 0 to 100)	68.3 (19.2, 0 to 100)	67.2 (20.4, 0 to 100)	60.8 (20.7, 4 to 100)	p<0.001
Post-operative, mean (sd, range)	75.2 (17.8, 0 to 100)	76.6 (17.4, 0 to 100)	74.0 (18.1, 0 to 100)	70.7 (18.6, 0 to 100)	p<0.001
EQ5D index					
Pre-operative, mean (sd, range)	0.368 (0.313, -0.484 to 1)	0.392 (0.307, -0.429 to 1)	0.345 (0.322, -0.484 to 1)	0.305 (0.315, -0.349 to 0.796)	p<0.001
Post-operative, mean (sd, range)	0.779 (0.225, -0.239 to 1)	0.799 (0.217, -0.239 to 1)	0.756 (0.232, -0.239 to 1)	0.728 (0.235, -0.074 to 1)	p<0.001
Time from operation to PROMs completion, mean days (sd, range)	209.2 (29.1, 183 to 358)	209.1 (29.0, 183 to 358)	209.6 (29.4, 183 to 358)	209.0 (29.3, 184 to 337)	p=0.636

ASA – American Society of Anaesthesiologists score, PROMs – Patient reported outcomes measures
* - analysis of variance test (continuous data variables) or Chi squared (categorical data variables)

421

422

Table 2. Patient demographics and PROMs data for cementless DePuy Corail Pinnacle hip replacement, by body mass index

	All patients	Body mass index			*Differences between BMI groups**
		19 to 29.9kg/m^2 (Reference group)	*30 to 34.9kg/m^2 (Obese class I)*	*35kg/m^2 + (Obese class II/III)*	
Number (%)	2879	1738 (60.4)	713 (24.8)	428 (14.9)	
Patient factors					
Age, mean years (standard deviation [sd], range)	65.8 (9.5, 25.2 to 94.0)	66.7 (9.6, 26.2 to 94.0)	65.3 (9.2, 25.2 to 90.2)	62.9 (9.1, 28.7 to 88.2)	p<0.001
Females	1602 (55.6)	979 (56.3)	374 (52.5)	249 (58.2)	p=0.112
ASA					
1	554 (19.2)	417 (24.0)	106 (14.9)	31 (7.2)	p<0.001
2	2057 (71.5)	1202 (69.2)	541 (75.9)	226 (73.4)	
3+	268 (9.3)	119 (6.9)	66 (9.3)	83 (19.4)	
Co-morbidities					
Heart disease	226 (7.8)	130 (7.5)	51 (7.2)	45 (10.5)	p=0.082
Stroke	35 (1.2)	22 (1.3)	8 (1.1)	5 (1.2)	p=0.953
Diabetes	219 (7.6)	81 (4.7)	76 (10.7)	62 (14.5)	p<0.001
Hypertension	1123 (39.0)	582 (33.5)	300 (42.1)	241 (56.3)	p<0.001
Circulation	136 (4.7)	74 (4.3)	34 (4.8)	28 (6.5)	p=0.136
Lung	158 (5.5)	88 (5.1)	36 (5.0)	34 (7.4)	p=0.054
Depression	172 (6.0)	96 (5.5)	36 (5.0)	40 (9.3)	p=0.006
Preoperative general health					
Excellent	150 (5.4)	110 (6.6)	26 (3.8)	14 (3.4)	p<0.001
Very good	870 (31.5)	582 (35.0)	206 (30.0)	82 (19.8)	
Good	1210 (43.8)	698 (42.0)	321 (46.7)	191 (46.1)	
Fair	473 (17.1)	241 (14.5)	121 (17.6)	111 (26.8)	
Poor	61 (2.2)	31 (1.9)	14 (2.0)	16 (3.7)	
Preoperative disability	1405 (53.9)	783 (50.1)	350 (53.9)	272 (68.9)	p<0.001
Patient reported outcome scores					
Oxford Hip scores					
Pre-operative, mean (sd, range)	18.8 (8.1, 1 to 43)	19.9 (8.1, 2 to 43)	18.5 (7.8, 2 to 43)	15.1 (7.3, 1 to 39)	p<0.001
Post-operative, mean (sd, range)	40.1 (8.6, 0 to 48)	40.8 (8.1, 6 to 48)	40.0 (8.3, 8 to 48)	37.0 (10.1, 1 to 48)	p<0.001
EQ5D visual analogue score					
Pre-operative, mean (sd, range)	66.7 (20.9, 0 to 100)	68.5 (20.1, 0 to 100)	66.5 (21.0, 0 to 100)	60.1 (22.7, 4 to 100)	p<0.001
Post-operative, mean (sd, range)	77.1 (18.4, 0 to 100)	78.6 (17.3, 0 to 100)	77.3 (17.3, 0 to 100)	70.9 (20.6, 0 to 100)	p<0.001
EQ5D index					
Pre-operative, mean (sd, range)	0.381 (0.313, -0.349 to 1)	0.414 (0.306, -0.349 to 1)	0.379 (0.310, -0.239 to 1)	0.253 (0.316, -0.349 to 0.796)	p<0.001
Post-operative, mean (sd, range)	0.799 (0.246, -0.594 to 1)	0.823 (0.228, -0.594 to 1)	0.800 (0.231, -0.074 to 1)	0.705 (0.306, -0.319 to 1)	p<0.001
Time from operation to PROMs completion, mean days (sd, range)	208.5 (27.8, 183 to 363)	208.5 (27.8, 183 to 363)	207.6 (27.1, 183 to 363)	2010.0 (28.6, 183 to 362)	p=0.985

ASA – American Society of Anaesthesiologists score, PROMs – Patient reported outcomes measures
* - analysis of variance test (continuous data variables) or Chi squared (categorical data variables)

423

Table 3. Surgical factors for populations studied

	Cemented (Exeter Contemporary)		Cementless (Corail Pinnacle)	
Number	2656		2879	
Approach				
Posterior	1471	(55.4)	1830	(63.6)
Direct lateral	1117	(42.1)	888	(30.8)
Other	68	(2.6)	161	(5.6)
Chemical VTE prophylaxis				
LMWH only	1218	(53.6)	1593	(66.2)
Aspirin only	233	(10.2)	208	(8.7)
Other	701	(30.8)	379	(15.8)
None	122	(5.4)	225	(9.4)
Mechanical VTE prophylaxis				
GCS	747	(28.1)	912	(37.9)
GCS/mechanical pump combination	663	(25.0)	662	(27.5)
Foot pump only	413	(15.6)	221	(9.2)
Mechanical calf pump only	280	(10.5)	350	(14.6)
Other	30	(1.1)	17	(0.7)
None	523	(19.7)	243	(10.1)
Anaesthesia				
Regional	1085	(47.7)	1369	(57.2)
General	481	(21.2)	470	(19.6)
Regional and general	708	(31.1)	554	(23.2)
Grade				
Consultant	1700	(64.0)	2216	(77.0)
Other	956	(36.0)	663	(23.0)
Position				
Lateral	2102	(79.1)	2256	(78.4)
Supine	172	(6.5)	149	(5.2)
Unknown	382	(14.4)	474	(16.5)

VTE – Venous thromboemolism, LMWH – Low molecular weight Heparin, GCS – Graduated compression stockings

427

Table 4. Patient reported outcome scores following primary cemented Stryker Exeter V40 Contemporary hip replacement, by body mass index (simple and multivariable analyses)

	Simple			Multivariable		
	Value	**99% CI**	**P value**	**Value**	**99% CI**	**P value**
Change in OHS						
BMI 19 to 29.9kg/m^2 (n=1640)	20.2	19.5 to 20.8	Reference	20.5	20.0 to 21.1	Reference
BMI 30 to 34.9kg/m^2 (n=695)	19.5	18.5 to 20.4	0.116	18.9	18.1 to 19.8	<0.001
BMI 35kg/m^2 + (n=321)	20.4	19.0 to 21.8	0.708	18.7	17.5 to 19.9	<0.001
Change EQ5D index						
BMI 19 to 29.9kg/m^2 (n=1640)	0.408	0.386 to 0.431	Reference	0.416	0.401 to 0.431	Reference
BMI 30 to 34.9kg/m^2 (n=695)	0.410	0.376 to 0.444	0.928	0.394	0.372 to 0.416	0.036
BMI 35kg/m^2 + (n=321)	0.418	0.367 to 0.468	0.669	0.387	0.353 to 0.420	0.043

OHS – Oxford Hip Score, BMI – Body mass index

428

429

430

Table 5. Patient reported outcome scores following primary cementless DePuy Corail Pinnacle hip replacement, by body mass index (simple and multivariable analyses)

	Simple			Multivariable		
	Value	**99% CI**	**P value**	**Value**	**99% CI**	**P value**
Change in OHS						
BMI 19 to 29.9kg/m^2 (n=1738)	20.9	20.3 to 21.5	Reference	21.5	21.1 to 22.1	Reference
BMI 30 to 34.9kg/m^2 (n=713)	21.5	20.5 to 22.4	0.188	21.3	20.5 to 22.1	0.532
BMI 35kg/m^2 + (n=428)	21.9	20.7 to 23.1	0.065	20.0	18.9 to 21.0	<0.001
Change EQ5D index						
BMI 19 to 29.9kg/m^2 (n=1738)	0.408	0.386 to 0.429	Reference	0.425	0.410 to 0.441	Reference
BMI 30 to 34.9kg/m^2 (n=713)	0.420	0.386 to 0.454	0.422	0.419	0.395 to 0.442	0.527
BMI 35kg/m^2 + (n=428)	0.453	0.410 to 0.497	0.016	0.371	0.341 to 0.401	<0.001

OHS – Oxford Hip Score, BMI – Body mass index

431

432

433

434
435

Table 6. Predicted OHS improvement for specific self-reported patient factors, based on cemented hip replacement model

	Preoperative very good health				Preoperative fair health			
	No disability		Disability		No disability		Disability	
	Minimal co-morbidity*	Co-morbidity present ϕ	Minimal co-morbidity	Co-morbidity present	Minimal co-morbidity	Co-morbidity present	Minimal co-morbidity	Co-morbidity present
Females								
BMI 19 to 29.9kg/m^2								
Pre-op OHS 10	30.4	26.0	28.4	23.9	29.6	25.1	26.2	23.1
Pre-op OHS 15	26.4	21.9	24.3	19.9	25.5	21.1	22.1	19.1
Pre-op OHS 20	22.4	17.9	20.3	15.9	21.5	17.1	18.1	15.0
Pre-op OHS 25	18.3	13.9	16.3	11.9	17.5	13.1	14.1	11.0
BMI 30 to 34.9kg/m^2								
Pre-op OHS 10	28.9	24.5	26.9	22.4	28.1	23.6	24.7	21.6
Pre-op OHS 15	24.9	20.4	22.8	18.4	24.1	19.6	20.6	17.6
Pre-op OHS 20	20.9	16.4	18.8	14.4	20.0	15.6	16.6	13.5
Pre-op OHS 25	16.9	12.4	14.8	10.4	16.0	11.6	12.6	9.5
BMI 35kg/m^2 +								
Pre-op OHS 10	28.8	24.4	26.8	22.3	28.0	23.5	24.6	21.5
Pre-op OHS 15	24.8	20.4	22.8	18.3	24.0	19.5	20.6	17.5
Pre-op OHS 20	20.8	16.3	18.7	14.3	19.9	15.5	16.5	13.5
Pre-op OHS 25	16.8	12.3	14.7	10.3	15.9	11.5	12.5	9.4
Males								
BMI 19 to 29.9kg/m^2								
Pre-op OHS 10	32.2	27.8	30.2	25.7	31.4	26.9	28.0	24.9
Pre-op OHS 15	28.2	23.8	26.2	21.7	27.4	22.9	24.0	20.9
Pre-op OHS 20	24.2	19.8	22.1	17.7	23.4	18.9	19.9	16.9
Pre-op OHS 25	20.2	15.7	18.1	13.7	19.3	14.9	15.9	12.8
BMI 30 to 34.9kg/m^2								
Pre-op OHS 10	30.7	26.3	28.7	24.2	29.9	25.5	26.5	23.4
Pre-op OHS 15	26.7	22.3	24.7	20.2	25.9	21.4	22.5	19.4
Pre-op OHS 20	22.7	18.3	20.7	16.2	21.9	17.4	18.5	15.4
Pre-op OHS 25	18.7	14.2	16.6	12.2	17.8	13.4	14.4	11.4
BMI 35kg/m^2 +								
Pre-op OHS 10	30.7	26.2	28.6	24.2	29.8	25.4	26.4	23.3
Pre-op OHS 15	26.6	22.2	24.6	20.1	25.8	21.4	22.4	19.3
Pre-op OHS 20	22.6	18.2	20.6	16.1	21.8	17.3	18.4	15.3
Pre-op OHS 25	18.6	14.2	16.6	12.1	17.8	13.3	14.4	11.3

** Minimal co-morbidity – ASA 2, no depression, no circulatory problems*

ϕ Co-morbidity present – ASA 3, depression, circulatory problems

BMI – Body mass index, ASA – American Society of Anaesthesiologists, Regional anaesthesia and posterior approach used in model.

436

437

Table 7. Patient reported complications following primary cemented Stryker Exeter V40 Contemporary hip replacement, by body mass index (simple and multivariable analyses)

	%	n	Simple			Multivariable		
			OR	99% CI	P value	OR	99% CI	P value
Bleeding complications								
BMI 19 to 29.9kg/m^2 (n=1640)	3.7	(61)	1			1		
BMI 30 to 34.9kg/m^2 (n=695)	5.3	(37)	1.46	0.84 to 2.52	0.079	1.47	0.83 to 2.60	0.083
BMI 35kg/m^2 + (n=321)	4.4	(14)	1.18	0.54 to 2.58	0.584	1.16	0.52 to 2.57	0.633
Wound complications								
BMI 19 to 29.9kg/m^2 (n=1640)	7.2	(118)	1			1		
BMI 30 to 34.9kg/m^2 (n=695)	10.8	(75)	1.56	1.04 to 2.33	0.004	1.57	1.03 to 2.38	0.006
BMI 35kg/m^2 + (n=321)	15.0	(48)	2.27	1.41 to 3.64	<0.001	2.06	1.25 to 3.40	<0.001
Readmission								
BMI 19 to 29.9kg/m^2 (n=1640)	6.2	(102)	1			1		
BMI 30 to 34.9kg/m^2 (n=695)	8.8	(61)	1.45	0.94 to 2.24	0.027	1.45	0.94 to 2.24	0.028
BMI 35kg/m^2 + (n=321)	11.2	(36)	1.90	1.13 to 3.22	0.002	1.99	1.17 to 3.39	0.001
Reoperation								
BMI 19 to 29.9kg/m^2 (n=1640)	1.6	(26)	1			1		
BMI 30 to 34.9kg/m^2 (n=695)	2.7	(19)	1.74	0.79 to 3.83	0.068	1.67	0.76 to 3.68	0.095
BMI 35kg/m^2 + (n=321)	4.4	(14)	2.83	1.19 to 6.75	0.002	2.73	1.14 to 6.53	0.003

OR – Odds ratio, BMI – Body mass index

438

439

Table 8. Patient reported complications following primary cementless DePuy Corail Pinnacle hip replacement, by body mass index (simple and multivariable analyses)

	%	n	Simple			Multivariable		
			OR	99% CI	P value	OR	99% CI	P value
Bleeding complications								
BMI 19 to 29.9kg/m^2 (n=1738)	5.1	(89)	1			1		
BMI 30 to 34.9kg/m^2 (n=713)	6.3	(45)	1.25	0.77 to 2.03	0.240	1.10	0.64 to 1.90	0.647
BMI 35kg/m^2 + (n=428)	5.8	(25)	1.15	0.63 to 2.10	0.550	1.15	0.59 to 2.25	0.595
Wound complications								
BMI 19 to 29.9kg/m^2 (n=1738)	6.6	(115)	1			1		
BMI 30 to 34.9kg/m^2 (n=713)	9.5	(68)	1.49	0.99 to 2.25	0.013	1.43	0.93 to 2.21	0.032
BMI 35kg/m^2 + (n=428)	14.5	(62)	2.39	1.55 to 3.68	<0.001	2.39	1.52 to 3.75	<0.001
Readmission								
BMI 19 to 29.9kg/m^2 (n=1738)	6.3	(110)	1			1		
BMI 30 to 34.9kg/m^2 (n=713)	5.5	(39)	0.86	0.52 to 1.40	0.419	0.87	0.50 to 1.50	0.503
BMI 35kg/m^2 + (n=428)	7.0	(30)	1.12	0.64 to 1.93	0.608	1.32	0.72 to 2.41	0.233
Reoperation								
BMI 19 to 29.9kg/m^2 (n=1738)	2.0	(35)	1			1		
BMI 30 to 34.9kg/m^2 (n=713)	1.4	(10)	0.69	0.27 to 1.76	0.309	0.69	0.27 to 1.76	0.309
BMI 35kg/m^2 + (n=428)	2.3	(10)	1.16	0.46 to 2.96	0.675	1.16	0.46 to 2.96	0.675

OR – Odds ratio, BMI – Body mass index

440

Supplementary material

The reliability of the multi-variable statistical models was explored in a number of ways: covariates found not to be statistically significant were excluded from the model, based on statistical entry ($p<0.05$) criteria; the same covariates were fitted forward and reverse stepwise manually to ensure findings were not qualitatively affected in the final model, with any inconsistency reported; the final models were re-evaluated as a directly entered model (non-stepwise), and were assessed by exploring 2-way interactions between covariates.

The purpose of the analysis was hypothesis generating rather than hypothesis testing, consequently there is no adjustment for multiple testing and the choice of level of statistical significance is somewhat arbitrary.

To test the models generated, a sensitivity analysis was performed using only the most commonly implanted component sets within the cemented (28mm flanged cup, representing 70% of all Exeter V40-Contemporary THRs implanted in 2010) and cementless groups (36mm hard bearing, representing 51% of all Corail Pinnacle THRs implanted in 2010).

Tests for interaction (multiplicative) between covariates were not statistically significant. Forward and reverse stepwise model construction and varying significance thresholds led to the same final models. Sensitivity analysis of the commonest component sets within cemented and cementless groups showed similar results for OHS and EQ5D index change, indicating that the findings of the entire cohort are applicable to a range of component choices within brands (Appendix Tables 3 and 4). Treating BMI as a continuous or categorical variable did not qualitatively affect the model.

Appendix Table 1. Summary of demographic and surgical variables available for analysis (those found to have a significant influence on specific statistical models and therefore included in final models are shown)

	Source	Description	Included in final models*
Patient factors			
Age (years)	NJR/PROMs		7
Sex	NJR/PROMs		A,E,1,3
American Society of Anaesthesiology grade	NJR	Grades 1 to 4	E
Body mass index (BMI) (kg/m^2)	NJR	Only BMI within 15 kg/m^2 to 65 kg/m^2 included	All
Comorbidities	PROMs	Recorded by patients as part of the pre-operative PROMs questionnaire. Ten co-morbidities: i) ischaemic heart disease, ii) respiratory disease, iii) diabetes, iv) hypertension, v) kidney disease, vi) liver disease, vii) circulatory problems, viii) cancer, ix) depression, x) stroke	A (vii), B (vii,ix), C (vii,ix), D (vii, ix, x), E (vii,ix), F (i,vii,ix) G (vii,ix,x), H (vii, ix, x), 6 (iii), 4(v)
Pre-operative general health	PROMs	Indicates the patient's perception of their own general health with five options: i) excellent, ii) very good, iii) good, iv) fair, v) poor	A,B,C,D,E,F, G,H
Pre-operative disability	PROMs	Indicates whether the patient considers themselves to have a disability	A,B,C,D,E,F, G,H, 1
Pre-operative Oxford Hip Score	PROMs	Derived from adding the points (0 to 4) together from the response to hip symptom-specific questions on a scale of 0 to 48 (0 worst, 48 best)	A,C,E,F,G
Pre-operative EQ5D Visual Analogue Score	PROMs	Indicates how well the patient feels on the day of completing the questionnaire on a scale of 0-100 (0 worst, 100 best)	2
Pre-operative EQ5D index	PROMs	Single summary score derived from EQ5D profile (based on response to 5 questions) by applying a formula with appropriate operation specific weightings (0 to 1)	B,D,F,H
Surgical factors			
Lead surgeon grade	NJR	Consultant or other	No
Hospital funding	NJR	NHS or other	
Approach	NJR	Posterior or direct lateral	A,B,C,D,E,F, G,H, 1,5
Patient position	NJR	Lateral or supine	No
Anaesthesia	NJR	i) Regional only, ii) general only, iii) general and regional	E
Chemical venous thromboembolism prophylaxis	NJR	Intended prophylaxis as recorded at time of operation: i) aspirin only, ii) LMWH only, iii) other, iv) none	7
Mechanical venous thromboembolism prophylaxis	NJR	Intended prophylaxis as recorded at time of operation: i) TEDS only, ii) combination TEDS/mechanical pump, iii) foot pump only, iv) intermittent calf pump only, v) other, and vi) none	6
Time from operation to post-operative PROMs completion	PROMs	Calculated from the date of operation as recorded on the NJR database to the date of post-operative PROMs as recorded on the questionnaire	No

PROMS outcome scores for:
commonest cemented implants: A. OHS change, B. EQ5D index change
commonest cementless implants: C. OHS change, D. EQ5D index change
all cemented implants: E. OHS change, F. EQ5D index change
all cementless implants: G. OHS change, H. EQ5D index change

PROMS patient reported complications for:
cemented implants: 1. wound, 2. bleeding, 3. readmission, 4. further surgery
cementless implants: 5. wound, 6. bleeding, 7. readmission, 8. further surgery

467
468

Appendix Table 2. Demographics for sensitivity analysis

	Cemented (Exeter Contemporary 28mm flanged polyethylene)		Cementless (Corail Pinnacle 36mm hard bearing)	
Number	1532		1191	
Patient factors				
Age, mean years (standard deviation [sd], range)	72.8 (7.7, 36.7 to 92.9)		63.0 (9.7, 25.2 to 89.0)	
Females	1036	(67.6)	540	(45.3)
ASA				
1	165	(10.8)	282	(23.7)
2	1106	(72.2)	814	(68.4)
3	252	(16.5)	94	(7.9)
4/5	9	(0.6)	1	(0.1)
Body mass index (kg/m^2)				
BMI 19 to 29.9	924	(60.3)	712	(59.8)
30 to 34.9	417	(27.2)	285	(23.9)
35+	191	(12.5)	194	(16.3)
Co-morbidities				
Heart disease	137	(8.9)	95	(8.0)
Stroke	19	(1.2)	12	(1.0)
Diabetes	164	(10.7)	78	(6.6)
Hypertension	706	(46.1)	438	(36.8)
Circulation	122	(8.0)	37	(4.0)
Lung	112	(7.3)	69	(5.8)
Liver	6	(0.4)	5	(0.4)
Kidney	21	(1.4)	13	(1.1)
Nervous	13	(0.9)	7	(0.6)
Cancer	88	(5.7)	39	(3.3)
Depression	76	(5.0)	82	(6.9)
Preoperative general health				
Excellent	57	(3.8)	62	(5.3)
Very good	467	(31.0)	375	(32.3)
Good	686	(45.5)	477	(41.1)
Fair	265	(17.6)	220	(19.0)
Poor	34	(2.3)	27	(2.3)
Preoperative disability	868	(56.7)	553	(46.4)
Preoperative OHS, mean score (sd, range)	18.4 (8.1, 0 to 44)		19.2 (8.1, 2 to 42)	
Pre-opEQ5D VAS, mean score (sd, range)	67.6 (19.7, 0 to 100)		66.2 (20.6, 0 to 100)	
Pre-op EQ5D index, mean (sd, range)	0.374 (0.311, -0.429 to 1)		0.387 (0.317, -0.349 to 1)	
Time from operation to PROMs completion, mean days (sd, range)	208.9 (29.1, 183 to 358)		209.6 (29.0, 183 to 362)	
Surgical factors				
Provider				
NHS	1313	(85.7)	1029	(86.4)
Other	3	(0.2)	4	(0.3)
Unknown	216	(14.1)	162	(13.6)
Approach				
Posterior	866	(56.5)	765	(64.2)
Direct lateral	628	(40.1)	337	(28.3)
Other	38	(2.5)	89	(7.5)
Chemical VTE prophylaxis				
LMWH only	623	(47.3)	625	(60.5)
Aspirin only	153	(11.6)	126	(12.2)
Other	438	(33.3)	193	(18.7)
None	102	(7.8)	89	(8.6)
Mechanical VTE prophylaxis				
GCS	431	(28.1)	400	(38.7)

GCS/mechanical pump combination	335	(21.9)	342	(33.1)
Foot pump only	253	(16.5)	64	(6.2)
Mechanical calf pump only	204	(12.3)	133	(12.9)
Other	23	(1.5)	12	(1.2)
None	286	(18.7)	82	(7.9)
Anaesthesia				
Regional	708	(53.8)	562	(34.5)
General	238	(18.1)	229	(14.2)
Regional and general	370	(28.1)	241	(23.4)
Grade				
Consultant	943	(61.6)	920	(77.3)
Other	589	(38.5)	271	(22.8)
Position				
Lateral	1211	(79.0)	964	(80.9)
Supine	105	(6.9)	69	(5.8)
Unknown	216	(14.1)	158	(13.3)

OHS – Oxford hip score, VAS – Visual analogue score, NHS – National Health Service, VTE – Venous thromboemolism, LMWH – Low molecular weight Heparin, GCS – Graduated compression stockings

Appendix Table 3. Patient reported outcome scores following primary cemented Stryker Exeter V40 Contemporary hip replacement, by body mass index (simple and multivariable analyses)

	Simple			Multivariable		
	Value	**99% CI**	**P value**	**Value**	**99% CI**	**P value**
Change in OHS (commonest implant specification*)						
BMI 19 to 29.9kg/m^2 (n=924)	20.4	19.5 to 21.2	Reference	20.7	19.9 to 21.4	Reference
BMI 30 to 34.9kg/m^2 (n=417)	19.8	18.5 to 21.1	0.331	19.2	18.2 to 20.3	0.005
BMI 35kg/m^2 + (n=191)	20.0	18.1 to 21.9	0.643	18.6	17.0 to 20.1	0.002
Change EQ5D index (*)						
BMI 19 to 29.9kg/m^2 (n=924)	0.406	0.376 to 0.436	Reference	0.410	0.390 to 0.431	Reference
BMI 30 to 34.9kg/m^2 (n=417)	0.414	0.370 to 0.457	0.722	0.392	0.363 to 0.422	0.190
BMI 35kg/m^2 + (n=191)	0.408	0.343 to 0.474	0.945	0.377	0.334 to 0.421	0.082

*Commonest implant specification: *Exeter V40 Contemporary flanged polyethylene cup (internal diameter 28mm)*
OHS – Oxford Hip Score, BMI – Body mass index

490

Appendix Table 4. Patient reported outcome scores following primary cementless DePuy Corail Pinnacle hip replacement, by body mass index (simple and multivariable analyses)

	Simple			Multivariable		
	Value	**99% CI**	**P value**	**Value**	**99% CI**	**P value**
Change in OHS (commonest implant specification*)						
BMI 19 to 29.9kg/m^2 (n=712)	21.2	20.3 to 22.2	Reference	21.7	20.9 to 22.6	Reference
BMI 30 to 34.9kg/m^2 (n=285)	20.7	19.2 to 22.3	0.481	21.0	19.7 to 22.3	0.218
BMI 35kg/m^2 + (n=194)	22.0	20.1 to 23.8	0.369	19.9	18.3 to 21.5	0.009
Change EQ5D index (*)						
BMI 19 to 29.9kg/m^2 (n=712)	0.413	0.379 to 0.448	Reference	0.440	0.416 to 0.465	Reference
BMI 30 to 34.9kg/m^2 (n=285)	0.404	0.350 to 0.459	0.722	0.406	0.367 to 0.445	0.059
BMI 35kg/m^2 + (n=194)	0.449	0.383 to 0.515	0.217	0.358	0.312 to 0.405	<0.001

*Commonest implant specification: *Corail Pinnacle ceramic-on-ceramic or metal-on-metal with 36mm head*
OHS – Oxford Hip Score, BMI – Body mass index

491
492
493
494
495
496
497
498
499
500